

## EAST Search History

Ref #	Hits	Search Query	Dbs	Default Operator	Plurals	Time Stamp
L1	0	@pd<"20000615" and ((data near4 set) with equal) and ("data set" with vector\$2) and ( "data set" with distribution) and @pd<"20000615" and "703".clas. and (data same groups same compare)	US-PGPUB; USPAT	OR	OFF	2006/05/19 13:46
L2	3	@pd<"20000615" and "703".clas. and (groups same compare)	US-PGPUB; USPAT	OR	OFF	2006/05/19 13:47
L3	292	@pd<"20000615" and "703".clas. and (data same groups )	US-PGPUB; USPAT	OR	OFF	2006/05/19 13:50
L4	160	@pd<"20000615" and "703".clas. and (data with groups )	US-PGPUB; USPAT	OR	OFF	2006/05/19 13:50
L5	51	@pd<"20000615" and "703".clas. and (data with groups ) and distribution\$	US-PGPUB; USPAT	OR	OFF	2006/05/19 13:50
S1	1	"20040172401"	US-PGPUB; USPAT	OR	OFF	2006/05/19 08:14
S2	1	"20040172401" and nts	US-PGPUB; USPAT	OR	OFF	2006/05/17 16:15
S3	0	"design of" near experiments	US-PGPUB; USPAT	OR	OFF	2006/05/17 16:15
S4	0	"design of" near1 experiments	US-PGPUB; USPAT	OR	OFF	2006/05/17 16:15
S5	3	"design of"	US-PGPUB; USPAT	OR	OFF	2006/05/17 16:16
S6	14774	(design with experiment\$2)	US-PGPUB; USPAT	OR	OFF	2006/05/17 16:16
S7	4271	@pd<"20000615" and (design with experiment\$2)	US-PGPUB; USPAT	OR	OFF	2006/05/17 16:17
S8	3	@pd<"20000615" and (design with experiment\$2) and 707/100.ccls.	US-PGPUB; USPAT	OR	OFF	2006/05/19 07:16
S9	35	@pd<"20000615" and (design with experiment\$2) and (probability with distribution)	US-PGPUB; USPAT	OR	OFF	2006/05/17 16:21

## EAST Search History

S10	4	@pd<"20000615" and (design with experiment\$2) and ( (specify\$4 or choos\$4 or select\$4) same(probability with distribution))	US-PGPUB; USPAT	OR	OFF	2006/05/17 16:22
S11	1192	@pd<"20000615" and (design with experiment\$2) and ( (specify\$4 or choos\$4 or select\$4) same (statistic\$4 or test\$4 or formula\$2))	US-PGPUB; USPAT	OR	OFF	2006/05/17 16:52
S12	4	S11 and S10	US-PGPUB; USPAT	OR	OFF	2006/05/17 16:51
S13	2	"5855011".pn. or "6011830".pn.	US-PGPUB; USPAT	OR	OFF	2006/05/17 16:52
S14	2	S13 and (design with experiment\$2) and ( (specify\$4 or choos\$4 or select\$4) same (statistic\$4 or test\$4 or formula\$2))	US-PGPUB; USPAT	OR	OFF	2006/05/17 17:37
S15	0	S13 and (compute with test)	US-PGPUB; USPAT	OR	OFF	2006/05/17 16:58
S16	0	"20040172401" and clasify\$4	US-PGPUB; USPAT	OR	OFF	2006/05/17 17:08
S17	0	"20040172401" and classify\$4	US-PGPUB; USPAT	OR	OFF	2006/05/17 17:12
S18	0	"6011830".pn. and (probability with distribution)	US-PGPUB; USPAT	OR	OFF	2006/05/17 17:12
S19	1	"6011830".pn. and (probability with distribution)	US-PGPUB; USPAT	OR	OFF	2006/05/17 17:38
S20	0	"6011830".pn. and (numerical)	US-PGPUB; USPAT	OR	OFF	2006/05/17 17:31
S21	1	"6011830".pn. and (sut)	US-PGPUB; USPAT	OR	OFF	2006/05/17 17:31
S22	1	"6011830".pn. and (sut with value)	US-PGPUB; USPAT	OR	OFF	2006/05/17 17:36
S23	1	"5855011".pn. and (design with experiment\$2) and ( (specify\$4 or choos\$4 or select\$4) same (statistic\$4 or test\$4 or formula\$2))	US-PGPUB; USPAT	OR	OFF	2006/05/17 17:37
S24	1	"5855011".pn. and (probability with distribution)	US-PGPUB; USPAT	OR	OFF	2006/05/17 17:45
S25	1	"5855011".pn. and (((comput\$4 or generat\$4 or calculat\$4) with value)	US-PGPUB; USPAT	OR	OFF	2006/05/17 17:50

## EAST Search History

S26	0	"5855011".pn. and (monte)	US-PGPUB; USPAT	OR	OFF	2006/05/17 17:50
S27	0	"5855011".pn. and (monte\$8)	US-PGPUB; USPAT	OR	OFF	2006/05/17 17:51
S28	1	"5855011".pn. and (random)	US-PGPUB; USPAT	OR	OFF	2006/05/17 17:55
S29	1	"5855011".pn. and (sps)	US-PGPUB; USPAT	OR	OFF	2006/05/17 17:54
S30	0	"5855011".pn. and (random same (create or generate))	US-PGPUB; USPAT	OR	OFF	2006/05/17 17:57
S31	1	"5855011".pn. and (n)	US-PGPUB; USPAT	OR	OFF	2006/05/17 17:57
S32	1	"6011830".pn. and random	US-PGPUB; USPAT	OR	OFF	2006/05/18 08:13
S33	1	"6011830".pn. and (random with "test case")	US-PGPUB; USPAT	OR	OFF	2006/05/18 08:17
S34	1	"5855011".pn. and random	US-PGPUB; USPAT	OR	OFF	2006/05/18 08:25
S35	0	"5855011".pn. and (random with data)	US-PGPUB; USPAT	OR	OFF	2006/05/18 08:19
S36	905	@pd<"20000615" and (707/100.ccls. or 706/45.ccls. or 379/1.ccls)	US-PGPUB; USPAT	OR	OFF	2006/05/18 11:19
S37	124	S36 and (random\$4 with data)	US-PGPUB; USPAT	OR	OFF	2006/05/18 08:29
S38	8	S36 and (random\$4 with data) and (test\$4 with random\$4)	US-PGPUB; USPAT	OR	OFF	2006/05/18 08:46
S39	0	S36 and (random\$4 with data) and (test\$4 with random\$4) and (compare with random)	US-PGPUB; USPAT	OR	OFF	2006/05/18 08:41
S40	0	S36 and (random\$4 with data) and (test\$4 with random\$4) and compar4	US-PGPUB; USPAT	OR	OFF	2006/05/18 08:45
S41	4	S36 and (random\$4 with data) and (test\$4 with random\$4) and (probability with distribution)	US-PGPUB; USPAT	OR	OFF	2006/05/18 09:06

## EAST Search History

S42	1	"5832182".pn. and (distribution same random)	US-PGPUB; USPAT	OR	OFF	2006/05/18 12:27
S43	1	"20040172401" and (probability with distribution)	US-PGPUB; USPAT	OR	OFF	2006/05/18 09:15
S44	1	"5855011".pn. and "13"	US-PGPUB; USPAT	OR	OFF	2006/05/18 09:35
S45	2	"5855011".pn. or "5832182".pn.	US-PGPUB; USPAT	OR	OFF	2006/05/18 09:36
S46	1	S45 and (data with size)	US-PGPUB; USPAT	OR	OFF	2006/05/18 09:39
S47	1	S45 and (cluster with size)	US-PGPUB; USPAT	OR	OFF	2006/05/18 09:42
S48	1	S45 and (medoids)	US-PGPUB; USPAT	OR	OFF	2006/05/18 09:46
S49	1	S45 and (medoids with size)	US-PGPUB; USPAT	OR	OFF	2006/05/18 09:47
S50	2	S45 and (number)	US-PGPUB; USPAT	OR	OFF	2006/05/18 10:17
S51	1	S45 and (null)	US-PGPUB; USPAT	OR	OFF	2006/05/18 10:43
S52	1	S45 and (predict\$4 or proximity or percentile)	US-PGPUB; USPAT	OR	OFF	2006/05/18 10:44
S53	2	S45 and (predict\$4 or proximity or percentile or threshold)	US-PGPUB; USPAT	OR	OFF	2006/05/18 10:49
S54	2	S45 and (linear)	US-PGPUB; USPAT	OR	OFF	2006/05/18 11:04
S55	1	S45 and (error)	US-PGPUB; USPAT	OR	OFF	2006/05/18 11:04
S56	0	S45 and (monte)	US-PGPUB; USPAT	OR	OFF	2006/05/18 11:04
S57	1187	@pd<"20000615" and ("monte carlo")	US-PGPUB; USPAT	OR	OFF	2006/05/18 11:19

## EAST Search History

S58	368	@pd<"20000615" and ("monte carlo" and ("95"\$2 or "47.5"\$2))	US-PGPUB; USPAT	OR	OFF	2006/05/18 11:20
S59	91	@pd<"20000615" and ("monte carlo" and (95% or "47.5"\$2))	US-PGPUB; USPAT	OR	OFF	2006/05/18 12:30
S60	1	"20040172401" and dimension	US-PGPUB; USPAT	OR	OFF	2006/05/18 12:20
S61	0	"5832182".pn. and ("data set" same size)	US-PGPUB; USPAT	OR	OFF	2006/05/18 12:28
S62	1	"5832182".pn. and ("data set" )	US-PGPUB; USPAT	OR	OFF	2006/05/18 12:27
S63	1	"5832182".pn. and ( data with size)	US-PGPUB; USPAT	OR	OFF	2006/05/18 12:29
S64	685	@pd<"20000615" and (("data set" with size))	US-PGPUB; USPAT	OR	OFF	2006/05/18 12:31
S65	16	@pd<"20000615" and ("data set" with size) and ("data set" with dimension)	US-PGPUB; USPAT	OR	OFF	2006/05/18 12:31
S66	3	@pd<"20000615" and ("data set" with size) and ("data set" with dimension) and ( "data set" with distribution)	US-PGPUB; USPAT	OR	OFF	2006/05/18 13:35
S67	1	@pd<"20000615" and ("data set" with size) and ("data set" with vector\$2) and ( "data set" with distribution)	US-PGPUB; USPAT	OR	OFF	2006/05/18 12:37
S68	2	@pd<"20000615" and ("data set" with equal) and ("data set" with vector\$2) and ( "data set" with distribution)	US-PGPUB; USPAT	OR	OFF	2006/05/18 12:39
S69	127	@pd<"20000615" and ("data" with equal) and ("data" with vector\$2) and ( "data" with distribution) and "data set"	US-PGPUB; USPAT	OR	OFF	2006/05/18 12:40
S70	2	@pd<"20000615" and ((data near4 set) with equal) and ("data set" with vector\$2) and ( "data set" with distribution)	US-PGPUB; USPAT	OR	OFF	2006/05/18 12:55
S71	19	@pd<"20000615" and (("data set") with "equal size")	US-PGPUB; USPAT	OR	OFF	2006/05/18 13:06
S72	3	"5832182".pn. or "5855011".pn. or "6041788".pn.	US-PGPUB; USPAT	OR	OFF	2006/05/19 08:07
S73	0	S72 and readable	US-PGPUB; USPAT	OR	OFF	2006/05/18 13:07

## EAST Search History

S74	1	S72 and code	US-PGPUB; USPAT	OR	OFF	2006/05/18 13:07
S75	3	S72 and computer	US-PGPUB; USPAT	OR	OFF	2006/05/18 14:38
S76	0	S72 and keyboard	US-PGPUB; USPAT	OR	OFF	2006/05/18 13:10
S77	0	S72 and (input with device)	US-PGPUB; USPAT	OR	OFF	2006/05/18 13:11
S78	0	S72 and (input with communication)	US-PGPUB; USPAT	OR	OFF	2006/05/18 13:11
S79	0	S72 and (input same communication)	US-PGPUB; USPAT	OR	OFF	2006/05/18 13:13
S80	1	S72 and (receiv\$4 with data)	US-PGPUB; USPAT	OR	OFF	2006/05/18 13:14
S81	2	S72 and (storage or memory or database)	US-PGPUB; USPAT	OR	OFF	2006/05/18 13:15
S82	187732	@pd < "20000615" and (data with (point\$2 or set\$2 or cluster or group))	US-PGPUB; USPAT	OR	OFF	2006/05/18 13:38
S83	966	@pd < "20000615" and (data with (point\$2 or set\$2 or cluster or group)) and (data same "equal size")	US-PGPUB; USPAT	OR	OFF	2006/05/18 13:38
S84	433	@pd < "20000615" and (data with (point\$2 or set\$2 or cluster or group)) and (data same "equal size") and (data with (dimension or vector or array))	US-PGPUB; USPAT	OR	OFF	2006/05/18 13:39
S85	228	@pd < "20000615" and (data with (point\$2 or set\$2 or cluster or group)) and (data with "equal size") and (data with (dimension or vector or array))	US-PGPUB; USPAT	OR	OFF	2006/05/18 13:40
S86	25	@pd < "20000615" and (data with (point\$2 or set\$2 or cluster or group)) and (data with "equal size") and (data with (dimension or vector or array)) and (data with distribution)	US-PGPUB; USPAT	OR	OFF	2006/05/18 13:40
S87	0	"20040172401" and "not based"	US-PGPUB; USPAT	OR	OFF	2006/05/18 14:12
S88	1	"20040172401" and "chance"	US-PGPUB; USPAT	OR	OFF	2006/05/18 14:37

## EAST Search History

S89	896676	"6041788".pn. anc computer	US-PGPUB; USPAT	OR	OFF	2006/05/18 14:28
S90	1	"6041788".pn. and computer	US-PGPUB; USPAT	OR	OFF	2006/05/18 14:28
S91	1	"20040172401" and "normal"	US-PGPUB; USPAT	OR	OFF	2006/05/18 14:37
S92	3	S72 and distribution	US-PGPUB; USPAT	OR	OFF	2006/05/18 14:38
S93	242033	@pd <"20000615" and ((data or input) with (size or amount or number))	US-PGPUB; USPAT	OR	OFF	2006/05/19 07:17
S94	4731	@pd <"20000615" and ((data or input) with (size or amount or number)) and ((data or input) with dimension)	US-PGPUB; USPAT	OR	OFF	2006/05/19 07:18
S95	756	@pd <"20000615" and ((data or input or group) with (size or amount or number)) and ((data or input or group) with dimension) and ((data or input or group) with distribution)	US-PGPUB; USPAT	OR	OFF	2006/05/19 07:20
S96	80	@pd <"20000615" and ((data or input or group) with (size or amount or number)) and ((data or input or group) with dimension) and ((data or input or group) with distribution) and ("707".clas. or "395".clas. or "706".clas. or "128".clas.)	US-PGPUB; USPAT	OR	OFF	2006/05/19 07:21
S97	4	"5832182".pn. or "5855011".pn. or "6041788".pn. or "6012058".pn.	US-PGPUB; USPAT	OR	OFF	2006/05/19 08:07
S98	1	S97 and monte\$	US-PGPUB; USPAT	OR	OFF	2006/05/19 08:08
S99	0	"20040172401" and "not normal"	US-PGPUB; USPAT	OR	OFF	2006/05/19 08:14
S100	1	"20040172401" and "normal distribution"	US-PGPUB; USPAT	OR	OFF	2006/05/19 08:22
S101	0	"20040172401" and ( "not" with distribution)	US-PGPUB; USPAT	OR	OFF	2006/05/19 08:22
S102	0	"20040172401" and ( "not" with normal)	US-PGPUB; USPAT	OR	OFF	2006/05/19 08:23
S103	1	"20040172401" and ( empirical adj distribution )	US-PGPUB; USPAT	OR	OFF	2006/05/19 08:26

**EAST Search History**

S10 4	1	S97 and (determin\$ with distribution)	US-PGPUB; USPAT	OR	OFF	2006/05/19 08:26
----------	---	--	--------------------	----	-----	------------------